


# IP Signal double wall light

Collection: IP Signal-en  
 Designer: Pauline Deltour

Elegant shapes, minimalist accents and immaculate finishes. Find the CVL spirit in a collection of aesthetic and functional wall lights, specifically designed for bathrooms.

## Types of design



Signal      Signal double      IP Signal double      IP Signal simple

## Finishes



## Material

Solid Brass  
 Polycarbonate diffuser

## Technical specifications

France and others

### IP Signal Double 580 (580mm - 22.8")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	570lm	3000°k	7W	Alimentation 24V int.	Yes - Phase cut

### IP Signal Double 780 (780mm - 30.7")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
---------	---------------	-------------------	-------	-------------------	----------



Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	960lm	3000°k	13W	Alimentation 24V int.	Yes - Phase cut

**IP Signal Double 980 (980mm - 38.6")**

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	1340lm	3000°k	17W	Alimentation 24V int.	Yes - Phase cut





