




IP Link Double

 Collection: IP Link

 Designer: Émilie Cathelineau

Élégance des formes, aux accents minimalistes et aux finitions soignées. Retrouvez l'esprit CVL dans une collection d'appliques esthétiques et fonctionnelles, spécifiquement conçues pour la salle de bain.

Types of design




Link reading light



Double reading wall light Link



IP Link



IP Link Double

Finishes



Satin Copper



Polished Copper



Satin Brass



Polished Brass



Satin Graphite



Polished Graphite



Satin Nickel



Polished Nickel

Material

Solid Brass

Polycarbonate diffuser

Technical specifications


France et autres

IP Link Double 610 (610mm - 24.1")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	320lm	3000°k	4W	Int. power supplier 24V incl.	Standard version not dim.

IP Link Double 960 (960mm - 37.8")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
---------	---------------	-------------------	-------	-------------------	----------



Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	660lm	3000°k	7W	Int. power supplier 24V incl.	Standard version not dim.

IP Link Double 1300 (1300mm - 51.2")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	880lm	3000°k	10W	Int. power supplier 24V incl.	Standard version not dim.





