




Ring pendant

 Collection: Ring

 Designer: Émilie Cathelineau

At once inspired by the 60's but also timeless, the two-toned pendant Ring is assembled with an imitated polished brass "jewel". Characterize its shades in accordance to the style you are looking for.

Types of design



Ring fixe



Finishes



Satin
Copper



Satin
Brass



Satin
Graphite



Satin
Nickel

 Graphite
satiné et
Laiton
satiné

 Laiton
Satiné et
Graphite
satiné

Material

Solid Brass
Polycarbonate diffuser

Technical specifications

France and others

Ring

The standard model has no cable: it is fixed to a 300 mm long tube, giving a total height of 440 mm. If a greater height is required, a "cable-mounted" version is available. The standard cable length of 2 m can be shortened on installation. The 2 "jewels" on the side of the product are polished as standard. For a satin finish, please contact us.

Lamping

Luminous
flux

Color
temperature

Power Int. power supply Dimmable



Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
2 integrated LEDs	2x 1000lm	2700°k	20W	Integrated power supply in canopy	Yes - Phase cut

USA & Canada

Ring

The standard model has no cable: it is fixed to a 300 mm long tube, giving a total height of 440 mm. If a greater height is required, a “cable-mounted” version is available. The standard cable length of 2 m can be shortened on installation. The 2 “jewels” on the side of the product are polished as standard. For a satin finish, please contact us.



Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
2 integrated LEDs	2x 1900lm	2700°k	37W	Integrated power supply in canopy	On demand



