

IP Signal simple wall light

Collection: IP Signal-en
Designer: Pauline Deltour

Elegant shapes, minimalist accents and immaculate finishes. Find the CVL spirit in a collection of aesthetic and functional wall lights, specifically designed for bathrooms.

Types of design




Signal



Signal double



IP Signal simple



IP Signal double

Finishes



Satin Copper



Polished Copper



Satin Brass



Polished Brass



Satin Graphite



Polished Graphite



Satin Nickel



Polished Nickel

Material

Solid Brass
Polycarbonate diffuser

Technical specifications

France et autres

IP Signal 375 (375mm - 14.8")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	280lm	3000°k	5W	Int. power supply 24V	Yes - Phase cut

IP Signal 475 (475mm - 18.7")

Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable



Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	480lm	3000°k	7W	Int. power supply 24V	Yes - Phase cut
IP Signal 575 (575mm - 22.6")					
Lamping	Luminous flux	Color temperature	Power	Int. power supply	Dimmable
Integrated LED	670lm	3000°k	9W	Int. power supply 24V	Yes - Phase cut





